

## Compact Excavators / E10 Compact Excavator

# E10 Excavator Specifications & Options

Standard  Optional **N/A** Not Applicable

Units METRIC

| Bobcat E10           |           |
|----------------------|-----------|
| Emissions Tier (EPA) | Tier 4    |
| Engine Fuel          | Diesel    |
| Maximum Governed RPM | 2,370 rpm |
| Horsepower           | 7.6 kW    |
| Turbocharged Engine  | N/A       |
| Optional Horsepower  | n/a       |

## Performance

|                               |          |
|-------------------------------|----------|
| Operating Weight              | 1176 kg  |
| Weight Class                  | 1 t      |
| Travel Speed - High           | 2.7 km/h |
| Travel Speed - Low            | 2.1 km/h |
| Arm Digging Force             | 5,551 N  |
| Bucket Digging Force          | 8,296 N  |
| Rated Lift Capacity           | 239 kg   |
| Lift Radius                   | 2997 mm  |
| Boom Swing - Left             | 67°      |
| Boom Swing - Right            | 64°      |
| Maximum Dig Depth             | 1.8 m    |
| Max Dump Height               | 1.8 m    |
| Maximum Reach at Ground Level | 3.1 m    |

## Capacities

|           |        |
|-----------|--------|
| Fuel Tank | 15.9 l |
|-----------|--------|

## Hydraulic System

|                    |            |
|--------------------|------------|
| Auxiliary Std Flow | 20 l/min   |
| Auxiliary Pressure | 190.02 bar |

## Dimension

|                                   |         |
|-----------------------------------|---------|
| Length                            | 2794 mm |
| Overall Length in Travel Position | 2794 mm |
| Width                             | 711 mm  |
| Height                            | 2210 mm |
| Height with Operator Cab          | 2210 mm |

## Features

|  |                                     |
|--|-------------------------------------|
| <b>Air Conditioning</b>                    | N/A                                 |
| <b>Cab Enclosure</b>                       | N/A                                 |
| <b>Cab Heater</b>                          | N/A                                 |
| <b>Heater Air Conditioning</b>             | N/A                                 |
| <b>Radio</b>                               | <input checked="" type="checkbox"/> |
| <b>Tail Swing Type</b>                     | Zero                                |
| <b>Engine Shutdown</b>                     | N/A                                 |
| <b>Auxiliary Hydraulics</b>                | ■                                   |
| <b>Secondary Auxiliary Hydraulics</b>      | N/A                                 |
| <b>Quick Tach System</b>                   | N/A                                 |
| <b>Rubber Track</b>                        | ■                                   |
| <b>Selectable Auxiliary Hydraulic Flow</b> | N/A                                 |
| <b>Angle Blade</b>                         | N/A                                 |

Certain specification(s) are based on engineering calculations and are not actual measurements. Specification(s) are provided for comparison purposes only and are subject to change without notice. Specification(s) for your individual equipment will vary based on normal variations in design, manufacturing, operating conditions, and other factors.